WEST SETI STORAGE HYDROELECTRIC PROJECT

SALIENT FEATURES

| SN | FEATURES | CHARACTERISTICS |
|---------|---------------------|--|
| GENERAL | | |
| 1 | Name of the Project | West Seti Storage Hydroelectric Project |
| 2 | Sector | Hydropower |
| 3 | Туре | Storage Type hydropower project with installed capacity of 750MW |

PROJECT LOCATION

| 1 | Province | Sudurpaschim |
|---|------------------|---|
| 2 | Project Location | Bajhang, Doti and Dadeldhura districts (Location Map) |
| 3 | Project Area | West Seti Storage project is proposed to develop on Seti |
| | | river. West Seti is proposed to develop at Doti and Bajhang |
| | | districts. The nearest airport to the site is at Dhangadi which |
| | | is about 180 Km away from project sites. Dipayal bazaar is |
| | | around 180km from Dhangadi, can be reached from in around |
| | | 6 hours' drive. West Seti proposed headworks lies around |
| | | 42km through rural road from Dipayal. |

SN FEATURES

CHARACTERISTICS

PROJECT FEATURES (SMEC STUDY 1997)

| 1 | Project Layout | Concrete Face Rock fill Dam is arranged at the riverbed; Open Spillway, Flood Discharge and Sand Sluicing Tunnel, and Ecological Outlet is arranged at the Right bank; Headrace-type underground hydropower station is arranged at the middle left bank of the reservoir; Five hydro generating units are installed in the station, with the unit capacity being 150MW |
|---|----------------|--|
| 2 | Climate | Seti River Basin is located at the south side of Himalaya Mountains. The whole basin belongs to the same monsoon climate, and the climate varies slightly from region to region due to different altitudes. Generally, it is warm and rainy on the south slope and relatively dry on the North Slope. It is cold and dry in the winter. Snow on the top of mountains is the major form of rainfall in winter. The highest temperature usually appears in the middle of June before the coming of summer monsoon. The melting of ice and snow in May increases river flow. Precipitation data show that 28% rainfall in Seti River Basin occurs during the non-monsoon period. From May to June, southwest monsoon brings the rainfall. According to data from precipitation stations in the basin, annual precipitation is between 1,266mm and 2,178mm. |
| 3 | Geology | The proposed dam of West Seti Hydropower Station is located between two regional faults. The north side is 35km away from the main thrust fault while the south side is 70km- 80km away from the Maximum Continuous Thrust (MCT). Such faults are the major ones formed by Indian Plate moving toward Nepal-Tibet Plate at a small angle; there are some other faults in the reservoir area. There is a N20° 30°E fault from dam site to reservoir area, which is of translation and offsetting. |
| 4 | Hydrology | Catchment Area: 4250 km2 Mean Annual Inflow : 6346 Million m3/sec (Note: There is a Hydrological station of Department of Hydrology and Meteorology (DHM) namely just downstream of proposed dam site: Station Number 259.2: Gopa Ghat) |

CHARACTERISTICS

TECHNICAL COMPONENTS (AS PROPOSED BY SMEC STUDY 1997)

| 1 | Diversion | Two Inverted D type diversion tunnel of 12.8m diameter 682m and 667 m in length respectively carrying diversion discharge of 3500 m3/sec per tunnel. An earthen coffer dam around 35 m height upstream of the dam. |
|---|------------|---|
| 2 | Dam | A 195 m high concrete faced, gravel filled storage dam. The crest elevation of the dam is 1290 masl, an ungated controlled chute type Spillway at elevation of 1280 masl. Proposed Dam location: The proposed dam site is located about 33km upstream of Seti Bridge at Dipayal Bazaar, and 186km away from Dhangadhi, the capital of Seti Zone. (Tentative Coordinate: 29°24'42"N Latitude and 80°51'40"E Longitude) |
| 3 | Reservoir | Full supply Level: 1280m |
| | | Minimum Water Level: 1225m |
| | | Dead Storage Level: 475m |
| 1 | Intako | Live Storage: 1900 MCM |
| 7 | Indice | tunnel. |
| 5 | Waterway | Headrace Tunnel: 10 m diameter, around 6.7km long Inverted D type headrace tunnel at the intake. Vertical Shaft: around 167m long a vertical drop shaft. Penstock Pipe: 365 m long pressure tunnel dividing five 3 m diameter steel lined pressure conduits, one for each generating units. The tunnel across the large loop of the river allows an extra 100 m head to be gained |
| 6 | Powerhouse | An underground power station, 300 m below the ground level. With turbine, transformers and switching stations. Proposed Powerhouse location: 29°18'2.23"N and 80°50'11.56"E) |
| 7 | Turbine | Five 150 MW rated Vertical Axis Francis turbine with, Rated Turbine Net Head= 258 m (operates at design discharge of 327 m3/sec) Maximum Net Head – 272m (when all the 5 units operates at Full Supply Level with maximum discharge of 335m3/sec) Minimum net head = 219m (when all the 5 units operates at dam minimum operating level with minimum discharge of 304m3/sec) Tail water Level : 1266m |

| SN | FEATURES | CHARACTERISTICS |
|----|-------------------|--|
| 8 | Tailrace | A 10 m diameter, 620 m long Tailrace tunnel discharging the flow back to the Seti River. |
| 9 | Energy Generation | The powerhouse operates for 8 hour in dry season whereas 24 hour operation is proposed for wet season. Annual Electricity Generation= 3300 GWh Primary Energy: 2928 GWh Secondary/seasonal energy: 402 GWh The dry season monthly generation target: 169 GWh The wet season monthly generation target: 366 GWh |
| 10 | Power Evacuation | As proposed from SMEC study, the power evacuation to be carried by 400 KV double circuit transmission line to proposed Nepal India border which is around 90Km long. |

DEVELOPMENT MODALITY

| 1 | Development modality | Public Private Partnership |
|---|------------------------------------|---|
| 2 | Role of the Government of Nepal | Provision of government land, land acquisition, facilitation and project security |
| | | Facilitating legal approvals/permits |
| | | Review & monitoring |
| 3 | Role of the Private Sector | Plan, design, build, finance and operate the facilities during the Concession Period |
| | | Collection of revenues from the project during the Concession Period |
| | | Handover to the Government after the Concession Period |

INDICATIVE FINANCIALS

| 1 | Total Project Cost (including | USD 1480 million (As per study of CTGI2016) |
|---|-----------------------------------|---|
| | interest during construction, | |
| | finance cost and 400 kV double | |
| | circuit transmission line cost to | |
| | Nepal India border) | |
| | | |

APPLICATION PROCEDURE

PRE-QUALIFYING CRITERIA FOR THIS PROJECT

- 1. Minimum of 10 years of experience in field of energy project development, investment and management.
- Evidence of Hydropower Projects Owned/Constructed/Operated Around the World. At Least Two Reference Projects Of At Least 500 MW (Out Of Which One Should Be Of Storage Operation), With Verifiable Evidence. or,

Evidence Of Development And Operation Of Energy Projects With Aggregate Capacity Of Minimum 4000 Mw.

3. The combined Net worth of the applicant shall not be less than USD 500 Million (United State Dollar Five Hundred Million) at the time of submission of bid.

APPLICATION PROCEDURE

- 1. The developer/ investor who meet the above pre-qualifying criteria can make the application for this project.
- 2. Application may be made by a single entity or a group of entities (Consortium or JV) comprising up to three different companies/ parties, including a Lead member, coming together to implement the project.
- 3. A consortium/JV may fulfil the pre-qualifying criteria in a joint/cumulative manner, except for the number of years of work experience.
- 4. A fee of NRs 10,000 shall be payable for each application made (with application to one project counting as a single application).
- 5. The fee must be paid to OIBN (to the OIBN office or a dedicated desk at the Nepal Investment Summit), or by electronic transfer to the following bank account of OIBN:

Office Code: 301003502 Office Name: Office of the Investment Board Revenue Heading: 14229 Bank Name: Everest Bank Ltd. Swift Code: EVBLNPKA

Please use '**Company name_Project name**' as the reference code for the payment made in the case of an online payment.

6. After payment of the fee is made, the OIBN shall assign an engagement manager and may provide additional documents or information relevant to the project (if available).

- Applicants should submit the detailed proposal with all required documents by 20th April 2019. Applications shall be submitted in physical copies to the OIBN or emailed to projects@ibn.gov.np.
- 8. The Government of Nepal (OIBN or relevant government agency at the relevant level of government) shall review the proposal and ask additional information if required.
- 9. The Government of Nepal shall decide on your application by 31st May 2019.

DETAILED PROPOSAL CHECKLIST

- Detailed profile of the developers/ investors, including profile of senior management team, annual report and audited financial statements for at least past three years (2015, 2016 & 2017), and consortium agreement or JV agreement or Memorandum of Understanding in the case of consortiums or JV.
- 2. Project concept, plan, and information on financial, economic, technical and environmental feasibility.
- 3. Method of project implementation, project development modality and work schedule
- 4. Business plan with basic financial statements
- 5. Financial arrangement and source of investment
- 6. Socio-economic contribution to Nepal
- 7. Expected support from GoN
- 8. Other relevant information, if any

APPLY NOW



CONTACT DETAILS



Office of the Investment Board

ICC Complex, New Baneshwor Kathmandu, Nepal Phone: 977-1-4475277,977-1-4475278 Fax: 977-1-4475281 Email: projects@ibn.gov.np