

The logo features a light blue circular frame with a square hole in the center. Inside this frame, the text "Lifebox asia" is displayed. The word "Lifebox" is in a bold, dark blue font, and "asia" is in a lighter blue font. To the left of the text is a blue icon consisting of two overlapping, slightly offset rectangular shapes.

 **Lifebox** asia

We.

We are new generation company with the core advantage of outstanding product.



Lifebox Asia Company Limited

We're specializes in designing, developing and manufacturing high quality well-being products for global consumers. Our company was established in 2019.

About Us

OUR MISSION

Handover of high quality health care products with the reasonable prices for achieving the better well-being society.



OUR VISION

Clients

To keep developing the health care products with the good prices to afford and always appreciate to take care of our clients as our own family.

Business Partner

Attentively respond to all feedback and keep supporting all aspects of service, whether the customer services, marketing strategies, or else, in order to be grown up together.

Society

To invent and develop health care products to meet the needs and solve the problems. Offering the quality health care products to society and encouraging the well-being for the household.

Employee

Support and improve the limits of abilities to be the professional. Contribute to create better quality of employees life with awareness of pride to be the part of organization.



Lifebox asia
OFFICIAL STORE



Office

Bangkok \
Thailand

26, Soi Sukhumvit 62, Phra Khanong Tai,
Phra Khanong, Bangkok 10260

Tel : (+66)65-507-8989

email : support@lifeboxasia.com


Culture





In-house design

- Product design & developing.
- Engineering design.
- Packaging design.
- Advertising Support.
- Application developing.




Thailand



Our products sell throughout Thailand such as Drugstore, Hospital, Department Store.






Marketplace Thailand



5 Stars : Feedback



Fast Shipping.



Good Quality.



Easy to use.






Trusted by Top Companies

Thai and Global
company.

Government, Drugstore, Hospital,
Bank, Insurance company, and etc.

Our Showcase

Blood Pressure Monitor



Pulse Oximeter



Hearing Amplifier



Nebulizer



Automatic Soap Dispenser




Our Showcase

 **Lifebox**

The box of life

Our Showcase





L-BM01

UPPER ARM BLOOD PRESSURE MONITOR

- LCD screen, Size : 54 x 64 mm.
- Intel Comfort
- Irregular heartbeat detection
- Motion detection
- Risk indicator (WHO standard)
- Average of the last 3 measurements
- 60 Memories / person (2 person)
- Automation switch-off
- Low battery indicator
- Incl. 4 x 1.5V AA batteries
- Dimension 93(W) x 120(L) x 59(H) mm.
- Weight 226 g. (without batteries)
- Cuff Size : 23-33 cm.

Accessories

- Cuff Size : 23-33 cm. 1 pc.
- Pouch Bag 1 pc.
- Micro-USB cable 1 pc.
- Battery AA x 4 pcs.

1 Year Warranty

Measuring Range


- Cuff Pressure: 0-290 mmHg
- Pulse: 40~180 bpm

Accuracy

- Pressure: ± 3 mmHg
- Pulse: $\pm 5\%$ of the reading



Our Showcase



Our Showcase



L-HA01

BTE HEARING AMPLIFIER

- Peak OSPL 90 (dB SPL) : maximum power output 130 dB
- HAF OSPL 90 (dB SPL) : average output 120 dB
- Peak Gain(dB) : maximum gain 46 dB (output minus input)
- HAF/FOG Gain (dB) : average gain 38 dB
- Frequency range(Hz) : 500-4500Hz
- Distortion: 500Hz : 5% | 800Hz : 3% | 1600Hz : 1%
- Equivalent Input Noise (dB): 28 dB
- 4 level adjustable volume
- 1*A657 1.4V battery
- Long working hours: ~ 200 hrs.
- Dimension: 10 x 45 x 40 mm.
- Weight: 6 grams (not include battery)

Accessories

- Eartip: Normal 4 size (S, M, L, XL)
- A657 1.4V battery: 2 pcs.
- Cleaning brush: 1 pc.

1 Year Warranty





L-HA02

RECHARGEABLE BTE HEARING AMPLIFIER

- Peak OSPL 90 (dB SPL) : maximum power output 130 dB
- HAF OSPL 90 (dB SPL) : average output 120 dB
- Peak Gain(dB) : maximum gain 50 dB (output minus input)
- HAF/FOG Gain (dB) : average gain 40 dB
- Frequency range(Hz) : 300-5000Hz
- Distortion: 500Hz : 5% | 800Hz : 3% | 1600Hz : 3%
- Equivalent Input Noise (dB): 28 dB
- 4 level adjustable volume
- 4 mode adjustable sound distortion
- Rechargeable with Lithium battery
- Long working hours: ~ 80 hrs.
- Charging time: 4-6 hrs.
- Dimension: 14 x 45 x 40 mm.
- Weight: 7 grams

Accessories

- Eartip: 5 size (Normal 4 size (S, M, L, XL) and Special earplug 1 pc.)
- Storage box: 1 pc.
- Cleaning brush: 1 pc.
- Micro USB Cable with Adapter: 1 set

1 Year Warranty

Our Showcase





Our Showcase

L-PO02

PULSE OXIMETER

- SpO2 value.
- Pulse Rate (bpm) value, Waveform and Bar graph.
- Perfusion Index (PI%)
- Manual display rotation: 4 directions.
- High Resolution OLED Display : 23.5 x 12.5 mm.
- Low-battery indicator
- Power supply: 1.5V AAA battery x 2 pcs.
- Dimension (mm.): ~34.2(W) x 61.8(L) x 33(H)
- Product Weight: ~27.8 g.

Measuring Range	Resolution	Accuracy
SpO2: 70% ~ 100%	1%	71% ~ 100% : ±2 %
PR: 30 ~ 250 bpm	1 bpm.	± 2 bpm.
PI: 0-20%		

1 Year Warranty

Accessories

- Lanyard 1 pc.
- Battery AAA* 2 pcs.



Fingertip must have the following measurements:
Thickness 7 - 25.4 mm.



L-SD01

AUTOMATIC FOAM SOAP DISPENSER

- Contract-free to improve hygiene
- Plastic ABS Environmentally Friendly Material
- Infrared sensor system detects movement, take time to detect and release the foam: 0.25 s
- Pump head designed to prevent soap dripping
- Motion detecting distance 5 cm.
- IPX4 Waterproof
- Quick start
- 2 levels (0.6 / 1.2s)
- Touch On - Off
- Operating Condition
- Temperature: 5°C -40°C
- Humidity: 0% - 85% RH
- Power 1.5 watts
- Voltage 4.5 V
- Capacity 280 ml.
- 3 x AA 1.5V batteries
- Product dimension: 8.4 x 7.8 x 19.5 cm. | Weight: ~0.33 kg.

Our Showcase



Our Showcase

blue  dot

One home.

Our Showcase



Our Showcase

B-BM01

UPPER ARM BLOOD PRESSURE MONITOR with Voice function

- Talking Thai Language
- LCD screen with orange lights, Size: 65 x 90 mm.
- Intel Comfort
- Irregular heartbeat detection
- Motion detection
- Risk indicator (WHO standard)
- Average of the last 3 measurements
- 60 Memories / person (2 person)
- For upper arm circumferences from 22-42 cm.
- Automation switch-off
- Low battery indicator
- Incl. 4 x 1.5V AA batteries
- Size 110(W)x 150(L)x70(H) mm.
- Weight 310 g. (without batteries)

Measuring Range

- Cuff Pressure: 0-290 mmHg
- Pulse: 40~180 bpm

Accuracy

- Pressure: ± 3 mmHg
- Pulse: $\pm 5\%$ of the reading

Accessories

- Cuff Size : 22-42 cm. 1 pc.
- Pouch Bag 1 pc.
- Battery AA x 4 pcs.
- DC Adapter 1 pc.

1 Year Warranty



B-BM02

UPPER ARM BLOOD PRESSURE MONITOR

- LCD screen, Size : 65 x 90 mm.
- Intel Comfort
- Irregular heartbeat detection
- Motion detection
- Risk indicator (WHO standard)
- Average of the last 3 measurements
- 60 Memories /person (2 person)
- For upper arm circumferences from 23-33 cm.
- Automation switch-off
- Low battery indicator
- Incl. 4 x 1.5V AA batteries
- Size 110(W) x 150(L)x 74(H) mm.
- Weight 330 g. (without batteries)

Accessories

- Cuff Size : 23-33 cm. 1 pc.
- Pouch Bag 1 pc.
- Micro-USB cable 1 pc.
- Battery AA x 4 pcs.

1 Year Warranty

Measuring Range

- Cuff Pressure: 0-290 mmHg
- Pulse: 40~180 bpm

Accuracy

- Pressure: ± 3 mmHg
- Pulse: $\pm 5\%$ of the reading



Our Showcase

Our Showcase



B-HA01

BTE HEARING AMPLIFIER

- Peak OSPL 90 (dB SPL) : maximum power output 130 dB
- HAF OSPL 90 (dB SPL) : average output 120 dB
- Peak Gain(dB) : maximum gain 46 dB (output minus input)
- HAF/FOG Gain (dB) : average gain 38 dB
- Frequency range(Hz) : 500-4500Hz
- Distortion: 500Hz : 5% | 800Hz : 3% | 1600Hz : 1%
- Equivalent Input Noise (dB): 28 dB
- 4 level adjustable volume
- 1*A657 1.4V battery
- Long working hours: ~ 200 hrs.
- Dimension: 10 x 45 x 40 mm.
- Weight: 6 grams (not include battery)

Accessories

- Eartip: Normal 4 size (S, M, L, XL)
- A657 1.4V battery: 2 pcs.
- Cleaning brush: 1 pc.

1 Year Warranty





B-HA02

RECHARGEABLE BTE HEARING AMPLIFIER

- Peak OSPL 90 (dB SPL) : maximum power output 130 dB
- HAF OSPL 90 (dB SPL) : average output 120 dB
- Peak Gain(dB) : maximum gain 50 dB (output minus input)
- HAF/FOG Gain (dB) : average gain 40 dB
- Frequency range(Hz) : 300-5000Hz
- Distortion: 500Hz : 5% | 800Hz : 3% | 1600Hz : 3%
- Equivalent Input Noise (dB): 28 dB
- 4 level adjustable volume
- 4 mode adjustable sound distortion
- Rechargeable with Lithium battery
- Long working hours: ~ 80 hrs.
- Charging time: 4-6 hrs.
- Dimension: 14 x 45 x 40 mm.
- Weight: 7 grams

Accessories

- Eartip: 5 size (Normal 4 size (S, M, L, XL) and Special earplug 1 pc.)
- Storage box: 1 pc.
- Cleaning brush: 1 pc.
- Micro USB Cable with Adapter: 1 set

1 Year Warranty

Our Showcase



B-NB01

COMPRESSOR NEBULIZER

- Suitable for Children and Adults
- Sound Level : <52 dB
- Nebulization Pressure : 20 Kpa - 80 Kpa (0.2 bar - 0.8 bar)
- Capacity of Medicine Cup : <8 ml.
- Free Flow Rate : 4 L/min - 7 L/min
- Nebulization Rate : >20.20 ml/min
- Particle Size MMAD : <5 μ m
- High nebulization capacity : 24 min (6 ml)
- On-Off Switch
- Dimensions (WxLxH) : 81 x 123 x 53.9 mm
- Weight 228 g.

Accessories

- Adult Mask 1 pc.
- Children's Mask 1 pc.
- Air Tube 1 pc.
- Mouthpiece 1 pc.
- Medicine Cup 1 set
- Air Filters 5 pcs.
- Adapter 1 pc.

1 Year Warranty

Our Showcase





B-PO011

PULSE OXIMETER

- SpO2 value: 0-99%
- Pulse Rate (bpm) value, Waveform and Bar graph: 25-250 bpm
- Perfusion Index (PI%): 0.075-20%
- Alarm for over limit SpO2.
- Pulse rate sound with ON/OFF function.
- Manual display rotation: 4 directions.
- 1.14" Dual-color High Resolution TFT Display.
- Brightness adjustable : 5 levels
- Low-battery indicator
- Power supply: 1.5V AAA battery x 2pcs.
- Dimension (mm.): ~57(L)x 30(W) x 31(H)
- Weight: ~28 g (with batteries)

Measuring Range	Resolution	Accuracy
SpO2: 0% ~ 99%	1%	70% ~ 100% : ± 2 %
PR: 25 ~ 250 bpm	1 bpm.	± 3 bpm.
PI: 0.075-20%		

1 Year Warranty

Accessories

- Lanyard 1 pc.
- Battery AAA* 2 pcs.
- Pouch bag 1 pc.

Our Showcase



Fingertip must have the following measurements:
Thickness 8 - 25.4 mm.

Our Showcase

B-PO091

PULSE OXIMETER with Bluetooth® function

- Connect data via Bluetooth® to applications on smartphone.
- SpO2 value.
- Pulse Rate (bpm) value, Waveform and Bar graph.
- Perfusion Index (PI%).
- Alarm for over limit SpO2.
- Pulse rate sound with ON/OFF function.
- Manual display rotation: 4 directions.
- 1" Dual-color High Resolution OLED Display.
- Low-battery indicator
- Power supply: 1.5V AAA battery x 2pcs.
- Continuous working time ~ 20h.
- Dimension (mm.): ~62(L) x 37(W) x 32(H)
- Weight: ~52 g (with batteries)

Measuring Range	Resolution	Accuracy
SpO2: 0% ~ 100%	1%	70% ~ 100% : ±2 %
PR: 30 ~ 250 bpm	1 bpm.	± 2 bpm.
PI: 0.02-20%		

1 Year Warranty

Accessories

- Lanyard 1 pc.
- Battery AAA* 2 pcs.



Fingertip must have the following measurements:
Thickness 7 - 25.4 mm.



Thank you.

We're look forward to working together.

Tel : (+66)65-507-8989

email : sale@lifeboxasia.com